



Specifications Noxion LED Panel Delta Pro V3 Highlum 36W 4840lm - 830 Warm White | 120x30cm - UGR <19 - Philips Xitanium Driver

[View Product](#)

## General Information

|                      |                                                                                     |
|----------------------|-------------------------------------------------------------------------------------|
| SKU                  | 242018                                                                              |
| EAN                  | 8719157032407                                                                       |
| Manufacturer Code    | 8719157032407                                                                       |
| Brand                | Noxion                                                                              |
| Manufacturer Name    | Noxion LED Panel Delta Pro V3 Highlum 36W 4840lm 3000K 1200*300 UGR<19 (2x36W eqv.) |
| Budgetlight warranty | 6 Years                                                                             |
| Average Lifetime (h) | 50000                                                                               |
| Product Serie        | Delta Pro                                                                           |

## Technical Information

|                             |                 |
|-----------------------------|-----------------|
| Technology                  | LED Integrated  |
| Replaces (Watt)             | 2x36            |
| Wattage                     | 36W             |
| Voltage (V)                 | 220-240         |
| Dimmable                    | Not Dimmable    |
| Colour Code                 | 830 Warm White  |
| Colour temperature (Kelvin) | 3000 Warm White |
| Colour Rendering (Ra)       | 80-89           |
| Colour of Light             | White           |
| Light Colour Options        | Single Color    |

|                        |                        |
|------------------------|------------------------|
| Luminous Flux (Lumen)  | 4840lm                 |
| Lumen per watt         | 145                    |
| IP-rating              | IP20                   |
| Impact Protection (IK) | IK03 - 0.35 joule      |
| Fixture Connection     | PI [Push-in connector] |
| Afwerking Reflector    | Frosted                |
| Inclusief Driver       | Yes                    |
| Powerfactor            | >0.90                  |
| Type product           | LED Panel              |

## Fixture Information

|                       |                    |
|-----------------------|--------------------|
| Mounting Method       | Recessed           |
| Unified Glare Rating  | < 19 - For offices |
| Optische Afdekking    | PS (Polystyrene)   |
| Bedrijfstemperatuur   | +10 to +45         |
| Emergency Lighting    | No                 |
| Colour of the Fixture | White              |
| Housing               | Aluminium          |
| Colour of material    | White              |

## Dimensions

|                       |          |
|-----------------------|----------|
| Afmetingen LED Paneel | 120x30cm |
| Length (mm)           | 1195     |
| Width (mm)            | 295      |
| Height (mm)           | 10       |

## Sensor Information

Type of sensor

No Sensor

## Why Budgetlight?



Guaranteed **budget prices**



Up to **7 years warranty**



**Easy** return process



Long-life **LED solutions**